


Application Layer	<u>308</u>
Upper Networking Layer(s)	,
	<u>306</u>
Virtual Connectivity Layer	
	302
Lower Networking Layer(s)	
	<u>304</u>

FIG. 3

Application	<u>412</u>	Application	<u>412</u>
Socket API	<u>410</u>	Socket API	<u>410</u>
TCP	408		
Virtual Connectivity	414	TCP/IP	<u>502</u>
IP	406	Virtual Connectivity	504
Device Driver	402	Device Driver	402
Networking Hardware	404	Networking Hardware	404

FIG. 4

FIG. 5






FIG. 7




FIG. 8





FIG. 9



Guo et al. Atty Docket No. 222387 Filed: July 14, 2003 Express Mail No. EU776531657US Leydig, Voit & Mayer, Ltd. Two Prudential Plaza, Suite 4900 Chicago, IL 60601 Ph. (312) 616-5600




FIG. 11




FIG. 12




FIG. 13

Guo et al. Atty Docket No. 222387 Filed: July 14, 2003 Express Mail No. EU776531657US Leydig, Voit & Mayer, Ltd. Two Prudential Plaza, Suite 4900 Chicago, IL 60601 Ph. (312) 616-5600




FIG. 14




FIG. 15





FIG. 16






FIG. 18

Guo et al. Atty Docket No. 222387 Filed: July 14, 2003 Express Mail No. EU776531657US Leydig, Voit & Mayer, Ltd. Two Prudential Plaza, Suite 4900 Chicago, IL 60601 Ph. (312) 616-5600




FIG. 19

IP Header	UDP Header	UDP Body	VC Options
2008	<u>2004</u>	2006	<u>2002</u>

FIG. 20




FIG. 21